

## REPAIR SHEET

BRAND


**RYOBI**

MODEL NO.

**P555**

DESCRIPTION

# 18 Volt Cut-Off Tool




**TTI CONSUMER POWER TOOLS, INC.**

P.O. Box 1288, Anderson, SC 29622 ■ 1-800-525-2579 ■ [www.ryobitools.com](http://www.ryobitools.com)

3-8-22 (Rev:02)


*The model number and manufacturing location will be found on a label attached to the product. Always mention this information in all communications regarding this product and when ordering parts.*



**P555****PARTS LIST**

| KEY NO. | PART NO.  | DESCRIPTION                            | QTY. |
|---------|-----------|----------------------------------------|------|
| 1       | 660475002 | Bolt                                   | 1    |
| 2       | 697713002 | Outer Blade Clamp                      | 1    |
| 3       | 682346002 | Wood Blade                             | 1    |
|         | 682347002 | Stainless Steel Blade                  | 1    |
|         | 682348002 | Tile Blade                             | 1    |
| 4       | 204825004 | Upper Guard Assembly (Inc. Key No. 34) | 1    |
| 5       | 697631002 | Inner Blade Clamp                      | 1    |
| 6       | 661185001 | Screw (#8-32 x 1/2 in.)                | 4    |
| 7       | 660145009 | Screw (M5 x 0.8 mm T25 Torx Pan Hd.)   | 1    |
| 8       | 204825003 | Base Assembly                          | 1    |
| 9       | 360380002 | Depth Adjust Body                      | 1    |
| 10      | 301124015 | Knob Bolt                              | 1    |
| 11      | 660142008 | Screw (M6 x 12 mm)                     | 1    |
| 12      | 697630001 | Housing Spring                         | 1    |
| 13      | 660570005 | Screw (M3.5 x 14 mm, Pan Hd.)          | 4    |
| 14      | 670056001 | Spring                                 | 1    |
| 15      | 658137001 | Lock Shaft Plate                       | 1    |
| 16      | 523274001 | Shaft Lock Button                      | 1    |
| 17      | 204825002 | Output Gear Assembly                   | 1    |
| 18      | 206825002 | Motor with Gearbox and Wiring Assembly | 1    |

| KEY NO. | PART NO.          | DESCRIPTION                                       | QTY. |
|---------|-------------------|---------------------------------------------------|------|
| 19      | 565747001         | Seal                                              | 1    |
| 20      | 660024018         | Screw (M4 x 16 mm)                                | 10   |
| 21      | 204825007         | Housing Assembly (Inc. Keys Nos. 27, 33, & 35-36) | 1    |
| 22      | 537378001         | Dust Port                                         | 1    |
| 23      | 532050001         | Battery Foot                                      | 1    |
| 24      | 672552001         | Spring                                            | 1    |
| 25      | 537382001         | Safety Button                                     | 1    |
| 26      | 537379001         | Release Lever                                     | 1    |
| 27      | 941122528         | Data Label                                        | 1    |
| 28      | 697697001         | Plunge Spring                                     | 1    |
| 29      | 537876001         | Retainer Cap                                      | 1    |
| 30      | 560219006         | Rubber Stopper                                    | 1    |
| 31      | 681215001         | Hex Key                                           | 1    |
| 32      | 670974002         | Nut                                               | 1    |
| 33      | 941120493         | Danger Label                                      | 1    |
| 34      | 940114179         | Logo Label (Small)                                | 1    |
| 35      | 940114178         | Logo Label (Large)                                | 1    |
| 36      | 941120493         | Warning Label                                     | 1    |
|         | <b>Not Shown:</b> |                                                   |      |
|         | 998000150         | Operator's Manual (961153418)                     |      |

**WIRING DIAGRAM**